DocuPrint M375 z
DocuPrint P375 dw

Driving productivity to the next level

FUJIFILM

FUJI xerox

Plenty of power, user friendly yet secure, and loaded with handy features. The DocuPrint M375 z and DocuPrint P375 dw machines are a tough, compact, and practical solution for busy offices.

Personal or workgroup users, these economical models deliver convenience, connectivity and capacity from one single machine.

Powerful

Small size, big on power

- Various models to choose from: basic single function printers to more feature-packed sophisticated all-in-one versions.
- Great functions & performance improve work flow & productivity within an office.
- High speed (40 pages per minute) printing helps get the job done fast.
- **Additional paper tray option** helps improve productivity for users with high print volume by reducing routine of replenishing paper.
- Large capacity toner units cut down on toner changes.
- Automatic Document Feeder*1 enables speedy single-pass two-sided scanning*2.

*1 Available on DocuPrint M375 z.
*2 Available on DocuPrint M375 z.
Note: When using Fuji Xerox Print Utility, two-sided scanning is not available.

- Users can select different paper qualities and thicknesses according to their needs.

Easy to use

Simple but effective

- Compact, sensible and stylish design.
- Select a machine size & functions just right for your budget & needs.
- A range of user-friendly free-of-charge applications* available to enhance productivity and connectivity and make it easy to print from your mobile phone.

* Fuji Xerox Print Utility, Google Cloud Print, Mopria.

- Operated by a user-friendly, intuitive colour touch panel*. Stylish, easy-to-use modern design.

* Available on DocuPrint M375 z.

- **Great connectivity:** you select an access method that works for you. Simultaneous connection with Ethernet and Wi-Fi Direct* enables you to connect with the machine from a fixed location (such as a desk), or on the run.

* Available on DocuPrint M375 z and DocuPrint P375 dw.

- Bypass Tray enables use of a range of thick paper stock to suit your individual printing needs.

Reliable

Tasks done securely

- Dependable & secure.
- **Secure Print function** enables you, and only you to print and access your own output on-demand.
- The Secure Function Lock feature means that you can control who accesses & uses the various functions of the machine to copy, scan or fax. Page limits can be set to help you manage costs.
- Responds to your high-volume printing needs with high durability. (Monthly Maximum Duty Cycle: 100000 pages)
- 1200 x 1200 dpi high resolution quality printing.
- Economical & effective: Delivers quality, power & reliability that is easy on the wallet. Low-profile device, but high quality output.

DocuPrint P375 dw

- A4 printer
- Print up to 40 ppm
- 1-line Liquid Crystal Display (LCD)
- USB, Ethernet, Wi-Fi connectivity
- Print only

Print

A4 40 ppm

DocuPrint M375 z

- A4 all-in-one printer
- Print up to 40 ppm
- Colour touch panel
- USB, Ethernet, Wi-Fi connectivity
- Automatic Document Feeder: 70 sheets
- Print, copy, fax, and scan

Print Copy Fax Scan

A4 40 ppm

The available model varies depending on the country/region. Please ask the sales representatives for details.

Two-way (front & back) printing output



- Simply select the output point (front or back output tray) that matches the type of paper to be used.
- The machine adopts a straight paper path, which realizes face-up print output. No more curling when using thick paper. Nice and flat.

Easy to use interface

- The machine features an intuitive colour touch panel* that allows you to swipe through the menu with ease.

* Available on DocuPrint M375 z.

- To start the operation, simply touch the colour touch panel*. When you finish the operation, the display on the panel automatically turns off. Easy to use and energy saving.

* Available on DocuPrint M375 z.

- You do not need to enter the same settings repeatedly. Save your favorite settings as Shortcuts*, which saves time and boosts the productivity.

* Available on DocuPrint M375 z.



* The above image shows the user interface on DocuPrint M375 z when the colour touch panel and other operation parts are all displayed.

Packed with smart features

Easy Front Access: Access print output and change-out consumables (such as toner and paper) quickly, simply and cleanly from the front of the machine.

1. **Automatic Document Feeder*:** Quickly scan, copy and fax one or two-sided, and multiple-page documents. Also scanner glass is convenient to scan thick documents such as books.

   * Available on DocuPrint M375 z. The left image shows DocuPrint M375 z.

2. **USB Port*:** Use your own USB drive to save scans or print directly from the USB.

   * Available on DocuPrint M375 z.

3. **Bypass Tray (50 sheets):** Capable of handling various different types & sizes of paper, envelopes, labels, and post cards.
4. **Standard Tray (250 sheets):** This tray is for standard users. Various types & sizes of paper can be used.
5. **520 Sheet Feeder*1:** Even if users want to print high-volume documents, the machine can respond to the needs with a maximum paper feeding capacity 1340 sheets*2.

   *1 Optional. 250 Sheet Feeder and 520 Sheet Feeder are available. Up to two optional feeders can be added.
   *2 When two 520 Sheet Feeders are added.

Note: Paper feeding capacity is based on 80gsm paper.

DocuPrint M375 z and DocuPrint P375 dw, Functions & Specifications

For the printing function of DocuPrint M375 z, please refer to "Print Function" of DocuPrint P375 dwbelow.

Basic Specifications / Copy Function

Item		DocuPrint P375 dw
Type		Desktop
Memory capacity		512 MB (Max: 512 MB)
Hard disk capacity		—
Scan Resolution		1200 x 1200 dpi (from Scanner Glass), 600 x 600 dpi (from Automatic Document Feeder)
Printing Resolution		1200 x 600 dpi (from Scanner Glass), 600 x 600 dpi (from Automatic Document Feeder)
Warm-up Time		27 seconds or less if the main power is on (23 degrees Celsius room temperature)
Recovery Time (Recovery Time from Sleep Mode)		5 seconds or less (23 degrees Celsius room temperature)
Original Size		Maximum of A4, Letter, Legal for both Sheet and Book
Paper Size	Max	A4, Letter, Legal
	Min	A6, Monarch (98.4 x 190.5 mm) (when using Bypass Tray)
	Image loss width*1	Lead edge 3.0 mm, Trail edge 3.0 mm, Right/Left edge 2.1 mm
Paper Weight*2	Paper Tray	60 to 120 gsm
	Bypass Tray	60 to 200 gsm
First Copy Output Time		9.2 seconds (A4, Ready Mode)
Continuous Copy Speed*3	A4 / B5	40 sheets/minute
	A5 LEF	60 sheets/minute
Paper Tray Capacity*4	Standard	Standard Tray: 250 sheets Bypass Tray: 50 sheets
	Optional	250 Sheet Feeder: 250 sheets 520 Sheet Feeder: 520 sheets
	Max	1340 sheets [Standard + 520 Sheet Feeder x 2]
Output Tray Capacity*4		150 sheets (face down), 10 sheets (face up*5)
Power Supply		AC220-240 V +/- 10 %, 5.6 A, 50/60 Hz common
Maximum Power Consumption		1344 W Sleep Mode: 7.5 W Ready Mode: 34 W
Dimensions*6		W 495 x D 427 x H 486 mm
Weight*7		17.3 kg

*1: When using A4 size. *2: It is recommended to use Fuji Xerox recommended paper. Correct print output may not be possible depending on the requirement. *3: The speed may be reduced due to the image quality adjustment. *4: 80 gsm paper. *5: Face up with rear cover open. *6: 520 Sheet Feeder (height): 152mm, 250 Sheet Feeder (height): 122 mm. (Up to 2-trays can be installed.). *7: Excluding Toner Cartridge. 520 Sheet Feeder: 4 kg, 250 Sheet Feeder: 3 kg.

Scan Function

Item		DocuPrint M375 z
Type		rennacS ruoloC
Scan Resolution		1200 x 1200 dpi (from Scanner Glass), 600 x 600 dpi (from Automatic Document Feeder)
Scan Speed		Same as the Scan Speed for the Automatic Document Feeder
Interface	Standard	Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T, USB2.0, Wireless LAN

Fax Function

Item	DocuPrint M375 z
Original Size	A4, Letter, Legal
Recording Paper Size	A4
Transmission Time	2 seconds and more but fewer than 3 seconds*1
Transmission Mode	ITU-T G3
Applicable Lines	Telephone subscriber line, PBX, Fax Communication (PSTN), Maximum 1 port*2 (G3-1 port)

*1: When A4 size document with approximately 700 characters is transmitted in standard image-quality (8 x 3.85 lines/mm) and in high-speed mode (28.8kbps or faster, JBIG). Only indicates the time for transmitting the image information and does not include the communication control time. The total communication time will vary depending on the contents of the document, the type of machine receiving the fax, and line condition. *2: No. of FAX lines is up to 1 port. Port refers to number of channels for FAX.

Automatic Document Feeder

Item		DocuPrint M375 z
Original Size / Paper Weight		Max: A4, Letter, Legal; Min: A5*1 64 to 90 gsm (In Duplex: 64 to 90 gsm)
Capacity*2		70 sheets
Scan Speed*3	Scan	B/W: 28 sheets/minute, Colour: 20 sheets/minute(1 pass, 2 sided scanning; B/W: 56 ppm, Colour: 34 ppm)

*1: The minimum custom size is 146 x 150 mm. *2: 80 gsm paper. *3: The scanning speed varies depending on the documents.

Print Function

Items		DocuPrint P375 dw
Printing Method		Laser Xerography
Warm-up Time		25 seconds or less if the main power is on (23 degrees Celsius room temperature) 5 seconds or less from Sleep Mode.
Continuous Print Speed	Simplex	40 ppm (A4)
	Duplex	20 ppm (A4)
First Print Output Time		7.2 seconds (A4)
Printing Resolution		1200 x 1200 dpi
Paper Size	Standard Tray	A4, Letter, Legal, B5 (JIS), A5, A5 LEF, A6, Executive (184 x 267 mm), Folio (216 x 330 mm)
	Bypass Tray	Width: 69.8 to 216 mm, Length: 127 to 355.6 mm Envelope: COM-10, DL, C5, Monarch
	Optional Tray	A4, Letter, Legal, B5 (JIS), A5, A6, Executive (184 x 267 mm), Folio (216 x 330 mm)
	2 sided printing	A4, Letter, Legal, Folio (216 x 330 mm)
Paper Weight	Standard Tray	60 to 120 gsm
	Bypass Tray	60 to 200 gsm
	Optional Tray	250 Sheet Feeder: 60 to 120 gsm 520 Sheet Feeder: 60 to 120 gsm
	2 sided printing	60 to 105 gsm
Paper Tray Capacity*1	Standard	Standard Tray: 250 sheets Bypass Tray: 50 sheets
	Optional	250 Sheet Feeder: 250 sheets 520 Sheet Feeder: 520 sheets
	Max	1340 sheets [Standard + 520 Sheet Feeder x 2]
Output Tray Capacity*1	Standard	150 sheets (face down), 1 sheet (face up*2)
CPU		Cortex-A9 800 MHz
Memory Capacity		256 MB (Max: 256 MB)
Hard Disk		—
Page Description Language	Standard	PCL6, PS3 emulation, PDF version 1.7, XPS (XML Paper Specification) version 1.0
Supported Operating System*3	Standard	Windows 10 (32 bit/64 bit) Windows 8.1 (32 bit/64 bit) Windows 7 (32 bit/64 bit) Windows Server 2019 (64 bit) Windows Server 2016 (64 bit) Windows Server 2012 R2 (64 bit) Windows Server 2012 (64 bit) Windows Server 2008 R2 (64 bit) Windows Server 2008 (32 bit/64 bit) macOS 10.14 / 10.13 / 10.12
Interface	Standard	Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T, USB2.0, Wireless LAN
Network Protocol		TCP/IP (IPv4 / IPv6, lpd, Port9100, IPP/IPPS)
Power Supply		AC220-240 V +/- 10 %, 5.6 A, 50/60 Hz common
Operating Noise*4*5	In Operation	6.81 B, 52.0 dB (A) or less
Maximum Power Consumption	Max	1344 W
	Sleep Mode	6.5 W
	Average	Ready Mode: 32 W In Operation: 640 W
Dimensions*6		W 373 x D 388 xH 255 mm
Weight*7		10.7 kg (Including consumables and drum) 9.5 kg (Excluding consumables and drum)

*1: 80 gsm paper. *2: Face up with rear cover open. *3: Please refer to our official website for the latest supported OS. *4: Measured in accordance to ISO7779. Unit B: Sound Power Level LWAd, Unit dB: Radiated Sound Pressure Level LpAm (bystander position). *5: Main unit only. *6: 520 Sheet Feeder (height): 152mm, 250 Sheet Feeder (height): 122 mm. (Up to 2-trays can be installed.) *7: 520 Sheet Feeder: 4 kg, 250 Sheet Feeder: 3 kg.

Options

Product Name	Product Code
250 Sheet Feeder	EL300934
520 Sheet Feeder	EL300935

Consumables/Supplies

Product Name	Product Code	Product Life
Toner Cartridge Standard Capacity	CT203108	Up to 4,000 pages*1
Toner Cartridge High Capacity	CT203109	Up to 12,000 pages*1
Drum Cartridge	CT351174	Up to 50,000 pages*2

*1: Approximate toner cartridge yield in accordance with ISO/IEC 19752 (letter/A4). *2: Approximately 30,000 pages based on 1 page per job and 50,000 pages based on 3 pages per job [letter/A4 simplex pages]. The number of pages may be affected due to a variety of factors including but not limited to media type and media size.

Notes
1) To comply with paper weight specifications, it is recommended to use Fuji Xerox recommended paper. Document may not be printed correctly depending on usage conditions.
2) Functional spare parts will be available for at least 7 years after the product is no longer manufactured.

All product names and company names mentioned in this brochure are trademarks or registered trademarks of their respective companies.
The product specifications appearance and other details in this brochure are subject to change without notice for improvements.
Reproduction Prohibitions Please note that reproduction of the following is prohibited by law :
Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

For Your Safety
Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

FUJIFILM

FUJI Xerox

For more information or detailed product specifications, please call or visit us at

FUJIFILM Business Innovation Asia Pacific Pte. Ltd.
(Formerly known as Fuji Xerox Asia Pacific Pte. Ltd.)
Reg. No. 199202000004 (993478-A) | ST No. W10-1808-32000018

Head Office:
Ground Floor, Axis Business Park, Block C, No. 10 Jalan Bersatu 13/4,
46200 Petaling Jaya, Selangor, Malaysia.
Tel: 03-7882 2888 Fax: 03-7882 2828 Customer Service Hotline: 1300-88-1163

fujifilm.com/fbmy

Branches:
Penang: No. 3-G, 3-1 & 3-2, Persiaran Bayan Indah, Bayan Bay, 11900 Bayan Lepas Penang.
Tel: 04-643 5000 Fax: 04-644 4677

Johor Bahru: No.21 & 23, Jalan Setia Tropika 1/28, Taman Setia Tropika, 81200 Kempas, Johor Bahru.
Tel: 07-238 7868 Fax:07-238-2678

Melaka: No.17, Jalan KL3/11, Kota Laksamana, 75200 Melaka.
Tel: 06-281 0466 Fax: 06-281 0408

Kota Kinabalu: Block K, Lot 65, Ground-5th Floor, KK Time Square, 88100 Kota Kinabalu, Sabah.
Tel: 088-486 888 Fax: 088-486 668

Kuching: 201, Lot 3050, Eastmoore Centre, 2 1/2 Mile Jalan Rock, 93200 Kuching, Sarawak.
Tel: 082-240 633 Fax: 082-418 733

This catalog includes Fuji Xerox product(s), licensed from Xerox Corporation. The distributor of the product(s) is FUJIFILM Business Innovation Corp.
Xerox, Xerox and Design, Fuji Xerox and Design as well as SquareFold, FreeFlow, VIPP and Versant are registered trademarks or trademarks of Xerox Corporation in Japan and/or other countries.

FUJIFILM and FUJIFILM logo are registered trademarks or trademarks of FUJIFILM Corporation.
DocuWorks registered trademark or trademark of FUJIFILM Business Innovation Corp.

The information is as of April, 2021.